

**Notice of Allowability**

Application No.  
10/055,073  
Examiner  
Betelhem Shewareged

Applicant(s)  
BARCOCK ET AL.  
Art Unit  
1774

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to communication filed on 08/03/2004.
2.  The allowed claim(s) is/are 1,3-9 and 11-14.
3.  The drawings filed on \_\_\_\_\_ are accepted by the Examiner.
4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a)  All
  - b)  Some\*
  - c)  None of the:
  1.  Certified copies of the priority documents have been received.
  2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1)  hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.
  - (b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1.  Notice of References Cited (PTO-892)
2.  Notice of Draftsperson's Patent Drawing Review (PTO-948)
3.  Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4.  Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5.  Notice of Informal Patent Application (PTO-152)
6.  Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_.
7.  Examiner's Amendment/Comment
8.  Examiner's Statement of Reasons for Allowance
9.  Other \_\_\_\_\_.

## REASONS FOR ALLOWANCE

1. Applicant's response along with Request for Continued Examination (RCE) filed on 08/03/2004 has been fully considered.
2. Claims 1, 5 and 11 are amended, claims 2 and 10 are cancelled, claims 13 and 14 are added, and thus claims 1, 3-9 and 11-14 are pending.
3. All pending claims 1, 3-9 and 11-14 are allowed.
  
4. The following is an examiner's statement of reasons for allowance: The closest art Otouma et al. (US 4,780,356) teaches an ink jet recording sheet comprising a paper, an intermediate layer on the paper, and an overlayer containing porous particles, wherein the overlayer comprises particles having two particle size ranges, i.e., the first particle size is 0.1-50 um (equivalent to the claimed particle B) and the second particle size is 0.1-20 um (equivalent to the claimed particle A). The content of the particles having the second particle size is less than 70%. Otouma neither teaches nor suggests the content of the particles having the second particle size to be within the claimed invention. The calculated content of the particles having the second particle size is between 88-95.2% which falls out of the prior art's range. In addition, Otouma neither teaches nor suggests having a layer containing crosslinking agent disposed between the intermediate layer and the overlayer as recited in claim 13. Furthermore, Otouma neither teaches nor even fairly suggests excluding particle size range of 101-999nm between the second particle size and the first particle size as recited in claim 14.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

### ***Conclusion***

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Betelhem Shewareged whose telephone number is 571-272-1529. The examiner can normally be reached on Mon.-Fri. 8:00AM-4:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rena Dye can be reached on 571-272-3186. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Betelhem Shewareged  
August 19, 2004.